




21.5" FHD INTERACTIVE INFORMATION KIOSK

Firstouch Stylish Portable, Easy To Operate 21.5" FHD interactive information kiosk With In built Player To Show Any Kind Of Content Remotely Through CMS. Now Showcase Promotions, Offers In A Smart Way





21.5" INTERACTIVE INFORMATION KIOSK Model No FTKI22A


Display	Display Technology	Colour LED TFT Screen
	Screen Size	21.5"
	Resolution	1920x1080
	Touch Technology	P-Cap Multi Touch
	Aspect Ratio	16:09
	Contrast Ratio	3000:01:00
	Orientation	Landscape
	Brightness	250nits
Computer	Processor	Amlogic S905X3 64-bit quad core ARM® Cortex™ A55 CPU
	RAM	4 GB
	Storage	32 GB
	Operating System	Android 9.0
	Network	Wi-Fi, LAN
Audio	Number of Speakers	2x5W
Internal Ports	USB	3
	HDMI	1
	VGA	0
	LAN In	1
	Audio	1
Software	OPTIONAL	SIGNAGE WPS Office
Mechanical	Matrial	Mild Steel
	Mounting Arrangement	Floor Mount
	Dimensions	1560 x 650 x 580 mm
Electricals	Power Supply	100 ~ 240V AC
	Power Consumption in Operating Mode (Maximum) (watt)	40 W
Enviormental	Operating Temperature	45
	Operating Humidity	80%
	Duty Cycle	24x7
Certification	BIS Registration under CRS of Meity	CE, ROHS
Accessories		AC POWER CORD, LAN CABLE





32" FHD INTERACTIVE INFORMATION KIOSK

Firstouch Stylish Portable, Easy To Operate 32" FHD interactive information kiosk With In built Player To Show Any Kind Of Content Remotely Through CMS. Now Showcase Promotions, Offers In A Smart Way





32" INTERACTIVE INFORMATION KIOSK Model No FTKI32A


Display	Display Technology	Colour LED TFT Screen
	Screen Size	32"
	Resolution	1920x1080
	Touch Technology	P-Cap Multi Touch
	Aspect Ratio	16:09
	Contrast Ratio	3000:01:00
	Orientation	Landscape
	Brightness	300nits
Computer	Processor	Amlogic S905X3 64-bit quad core ARM® Cortex™ A55 CPU
	RAM	4 GB
	Storage	32 GB
	Operating System	Android 9.0
	Network	Wi-Fi, LAN
Audio	Number of Speakers	2x5W
Internal Ports	USB	3
	HDMI	1
	VGA	0
	LAN In	1
	Audio	1
Software	OPTIONAL	SIGNAGE WPS Office
Mechanical	Matrial	Mild Steel
	Mounting Arrangement	Floor Mount
	Dimensions	1560X800X625 mm
Electricals	Power Supply	100 ~ 240V AC
	Power Consumption in Operating Mode (Maximum) (watt)	50 W
Enviormental	Operating Temperature	45
	Operating Humidity	80%
	Duty Cycle	24x7
Certification	BIS Registration under CRS of Meity	CE, ROHS
Accessories		AC POWER CORD, LAN CABLE





43" FHD INTERACTIVE INFORMATION KIOSK

Firstouch Stylish Portable, Easy To Operate 43" FHD interactive information kiosk With In built Player To Show Any Kind Of Content Remotely Through CMS. Now Showcase Promotions, Offers In A Smart Way





43" INTERACTIVE INFORMATION KIOSK Model No FTKI43A

Display	Display Technology	Colour LED TFT Screen
	Screen Size	43"
	Resolution	1920x1080
	Touch Technology	Infra Red
	Aspect Ratio	16:09
	Contrast Ratio	3000:01:00
	Orientation	Landscape
	Brightness	350nits
Computer	Processor	Amlogic S905X3 64-bit quad core ARM® Cortex™ A55 CPU
	RAM	4 GB
	Storage	32 GB
	Operating System	Android 9.0
	Network	Wi-Fi, LAN
Audio	Number of Speakers	2x5W
Internal Ports	USB	3
	HDMI	1
	VGA	0
	LAN In	1
	Audio	1
Software	OPTIONAL	SIGNAGE WPS Office
Mechanical	Material	Mild Steel
	Mounting Arrangement	Floor Mount
	Dimensions	15600X950X650 mm
Electricals	Power Supply	100 ~ 240V AC
	Power Consumption in Operating Mode (Maximum) (watt)	80 W
Enviormental	Operating Temperature	45
	Operating Humidity	80%
	Duty Cycle	24x7
Certification	BIS Registration under CRS of Meity	CE, ROHS
Accessories		AC POWER CORD, LAN CABLE

